

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Mauri Salmisuo

Confirmation No.: 9186

Application No.: 10/552,884

Group No.: 3753

Filed: October 13, 2005

Examiner: Craig James Price

For: SANITIZABLE FLOAT VALVE

CERTIFICATE OF EFS SUBMISSION (37 C.F.R. § 1.8(a)(i)(1)(C))

I hereby certify that on September 23, 2008 the following correspondence:

Name of Paper: Response to Final Office Action

Number of Pages: 7

is being submitted to the Patent and Trademark Office via the Office Electronic Filing System in accordance with § 1.6(a)(4).


Signature

Telephone Number: 440-684-1090

Laura K. Cahill

Type or print name of person certifying

NOTE: It is advisable to keep a copy of certification of EFS-Web transmission § 1.8), including the list of papers submitted, to establish the local time of the submissions if such evidence is needed

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Mauri Salmisuo

Confirmation No.: 9186

Application No.: 10/552,884

Group No.: 3753

Filed: October 13, 2005

Examiner: Craig James Price

For: SANITIZABLE FLOAT VALVE

**RESPONSE UNDER
37 C.F.R. § 1.116
EXPEDITED PROCEDURE
EXAMINING GROUP**

3753

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT OR RESPONSE AFTER FINAL REJECTION--TRANSMITTAL

1. Transmitted herewith is an amendment after final rejection (37 C.F.R. 1.116) for this application.

STATUS

2. Applicant is other than a small entity .

EXTENSION OF TERM

3. The proceedings herein are for a patent application and the provisions of 37 C.F.R. 1.136 apply. Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.

FEE FOR CLAIMS

4. The fee for claims (37 C.F.R. 1.16(b)-(d)) has been calculated as shown below:

	(Col.1)		(Col. 2)	(Col. 3)	OTHER THAN SMALL ENTITY				
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE		ADDIT. FEE	
TOTAL	3	MIN US	20	= 0	x	\$ 50.00	= \$	0.00	
INDEP	1	MIN US	3	= 0	x	\$ 210.00	= \$	0	
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM					+	\$ 0.00	= \$	0.00	
TOTAL ADDIT. FEE								\$	0.00

No additional fee for claims is required.

FEE DEFICIENCY

5. If any additional extension and/or fee is required, charge Account No. 50-0537.


If any additional fee for claims is required, charge Account No. 50-0537.

Date: **September 23, 2008**

Reg. No.: 31,115

Tel. No.: 440-684-1090

Customer No.: 22203



Signature of Practitioner
Mark Kusner

Kusner & Jaffe
Highland Place - Suite 310
6151 Wilson Mills Road
Highland Heights, OH 44143

Application No. 10/552,884
Response dated September 23, 2008
OUTSTANDING OFFICE ACTION dated July 23, 2008

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF	:	Mauri SALMISUO
FOR	:	SANITIZABLE FLOAT VALVE
SERIAL NO.	:	10/552,884
FILED	:	October 13, 2005
CONFIRMATION NO.	:	9186
EXAMINER	:	Craig James Price
ART UNIT	:	3753
ATTORNEY DOCKET NO.	:	ST9175PCT(US)

***RESPONSE UNDER CFR 1.116
EXPEDITED PROCEDURE
EXAMINING GROUP 3753***

MAIL STOP AF
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO FINAL OFFICE ACTION

Dear Sir:

In response to the Office Action dated July 23, 2008, please amend the above-identified U.S. patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 4 of this paper.